



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden  
estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2017 – June 30, 2018

Filing Confirmation Number: 0008285356

Filing Deadline: July 16, 2018

FRN: 0005810205

Filing Date: 07/16/2018 03:04 PM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period?  
No

Date that you ceased to be a small entity?

#### Company Information

Company Name: Samsung Electronics America

Brand Names: Samsung

PO Box:

Street Address: 85 Challenger Road

City: Ridgefield Park

State: NJ

Zip Code: 07660

Contact Name: Kendra M. Green

Contact Phone: (972) 761-7123

Contact Fax:

Contact Email: accessibility@sea.samsung.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are

capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19–2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19–2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19–2011 for one or more operations that are not covered under ANSI C63.19–2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE or Wi-Fi Calling, and that were certified for inductive coupling capability under ANSI C63.19–2011 without being tested for inductive coupling capability over Voice over LTE or Wi-Fi Calling, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

#### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: <https://www.samsung.com/us/accessibility/mobile/>

Explain:

#### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Samsung has consumer outreach which consists of both publicly sharing information about the accessibility features in our devices, including HAC ratings, and actively seeking and responding to input from consumers, experts, and disability groups. Samsung has a website for accessibility. This website lists HAC ratings by carrier and also helps to explain the meaning of M and Tcoil ratings. This website provides contact information that helps consumers communicate with the Samsung Accessibility team. Samsung receive and acts on feedback we receive about ways to further enhance the accessibility of our products for individuals with different disabilities, including individuals with hearing loss. Some of this feedback we receive directly from our customers, and some of this feedback we receive from partnerships with disability experts and groups. We also participate in different conferences, conventions, and trade associations that provide great

opportunities for such feedback.

## Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 18

## Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 41

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	37	100%					37
CDMA	26	100%					26
WCDMA	36	100%					36
LTE	40	100%					40
Wi-Fi	40	100%					40

## Handset 1: Samsung Galaxy J3 2017

### Handset Maker

Samsung

### Handset Model Name

### FCC ID

Galaxy J3 2017

A3LSMJ320R4

### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 07/16 to 06/18

### Ratings

M-Rating: M4

M-Rating Certification Date: 03/11/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/11/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 2: Samsung Galaxy J3

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy J3

A3LSMJ337V

SM-J337VPP

A3LSMJ337V

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 06/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 05/07/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/07/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

### Handset 3: Samsung S327VL

Handset Maker

Samsung

Handset Model Name

FCC ID

S327VL

A3LSMS327VL

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz LTE

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 01/10/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/10/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 4: Samsung SM-B690V

### Handset Maker

Samsung

### Handset Model Name

SM-B690V

### FCC ID

A3LSMB690V

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz CDMA  
1900 MHz GSM  
1900 MHz CDMA

### Dates

This handset model was offered from: 07/17 to 01/18

### Ratings

M-Rating: M3

M-Rating Certification Date: 01/28/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/28/16

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 5: Samsung SM-G530A

### Handset Maker

Samsung

### Handset Model Name

SM-G530A

SM-G530AZ

### FCC ID

A3LSMG530AZ

A3LSMG530AZ

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz LTE  
900 MHz GSM  
900 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 08/17

#### Ratings

M-Rating: M3

M-Rating Certification Date: 02/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 6: Samsung SM-G892P

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-G892P

A3LSMG892U

SM-G892T

A3LSMG892U

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
800 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi  
2600 MHz LTE

#### Dates

This handset model was offered from: 11/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 10/20/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/20/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 7: Samsung SM-G920A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G920A

A3LSMG920A

SM-G920AZ

A3LSMG920A

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2300 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 03/02/15



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 8: Samsung SM-G920T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G920T

A3LSMG920T

SM-G920T1

A3LSMG920T

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 09/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 9: Samsung SM-G930A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G930A	A3LSMG930US
SM-G930AZ	A3LSMG930US
SM-G930P	A3LSMG930US
SM-G930R4	A3LSMG930US
SM-G930R6	A3LSMG930US
SM-G930R7	A3LSMG930US
SM-G930T	A3LSMG930US
SM-G930T1	A3LSMG930US
SM-G930U	A3LSMG930US
SM-G930V	A3LSMG930US
SM-G930VC	A3LSMG930US
SM-G930VL	A3LSMG930US

Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2300 MHz LTE  
2500 MHz LTE  
2600 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

## Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

### Handset 10: Samsung SM-G935A

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-G935A	A3LSMG935US
SM-G935P	A3LSMG935US
SM-G935R4	A3LSMG935US
SM-G935T	A3LSMG935US
SM-G935U	A3LSMG935US
SM-G935V	A3LSMG935US
SM-G935VC	A3LSMG935US

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi  
2300 MHz LTE  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 12/17

## Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

### Handset 11: Samsung SM-G950U

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-G950U

A3LSMG950U

SM-G950U1

A3LSMG950U

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
800 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi  
2600 MHz LTE  
2300 MHz LTE

## Dates

This handset model was offered from: 07/17 to 06/18

## Ratings

M-Rating: M4

M-Rating Certification Date: 04/06/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/06/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 12: Samsung SM-G955U

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-G955U

A3LSMG955U

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
800 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
1750 MHz WCDMA  
2300 MHz LTE  
2500 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 04/06/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/06/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 13: Samsung SM-G960U

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-G960U

A3LSMG960U

SM-G960U1

A3LSMG960U

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
800 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi  
2300 MHz LTE  
2600 MHz LTE

#### Dates

This handset model was offered from: 03/18 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 01/11/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/11/18

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 14: Samsung SM-G965U

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-G965U

A3LSMG965U

SM-G965U1

A3LSMG965U

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
800 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
2300 MHz LTE  
2300 MHz Wi-Fi  
2600 MHz LTE

#### Dates

This handset model was offered from: 03/18 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 01/11/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/11/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 15: Samsung SM-J120A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J120A

A3LSMJ120A

SM-J120AZ

A3LSMJ120A

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 01/28/16



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/28/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 16: Samsung Luna

Handset Maker

Samsung

Handset Model Name

FCC ID

Luna	A3LSMJ320VPP
SM-J320 (Galaxy J3)	A3LSMJ320VPP
SM-J320V	A3LSMJ320VPP

Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 17: Samsung SM-J320P

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J320P

A3LSMJ320P

Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 11/17/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/17/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 18: Samsung SM-J320A

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-J320A	A3LSMJ320A
SM-J320AZ	A3LSMJ320A
SM-J321AZ	A3LSMJ320A

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 09/17

#### Ratings

M-Rating: M3

M-Rating Certification Date: 02/19/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/19/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 19: Samsung SM-J327A

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-J327A

A3LSMJ327A

SM-J327AZ

A3LSMJ327A

#### Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz GSM

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 02/08/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/08/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 20: Samsung SM-J327P

#### Handset Maker

Samsung

#### Handset Model Name

SM-J327P

#### FCC ID

A3LSMJ327P

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz GSM  
800 MHz CDMA  
800 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 10/24/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/24/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 21: Samsung SM-J327R4

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-J327R4

A3LSMJ327R4

SM-J337R4

A3LSMJ327R4

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 04/06/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/06/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 22: Samsung SM-J327T

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-J327T	A3LSMJ327T
SM-J327T1	A3LSMJ327T
SM-S337TL	A3LSMJ327T

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
1750 MHz WCDMA

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 23: Samsung SM-J327R6

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-J327R6	A3LSMJ327V
SM-J327V	A3LSMJ327V
SM-J327VPP	A3LSMJ327V

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
800 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 04/14/17



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 24: Samsung SM-J337A

### Handset Maker

Samsung

### Handset Model Name

### FCC ID

SM-J337A

A3LSMJ337A

SM-J337AZ

A3LSMJ337A

### Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

2.5 GHz LTE

### Dates

This handset model was offered from: 06/18 to 06/18

### Ratings

M-Rating: M3

M-Rating Certification Date: 04/04/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/04/18

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 25: Samsung SM-J337P

#### Handset Maker

Samsung

#### Handset Model Name

SM-J337P

#### FCC ID

A3LSMJ337P

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
800 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 06/18 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 05/07/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/07/18

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 26: Samsung SM-J337T

#### Handset Maker

Samsung

#### Handset Model Name

SM-J337T

#### FCC ID

A3LSMJ337T

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz WCDMA  
850 MHz GSM  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE

#### Dates

This handset model was offered from: 06/18 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 04/18/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/18/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 27: Samsung SM-J700P

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J700P

A3LSMJ700P

Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 04/18

Ratings

M-Rating: M3

M-Rating Certification Date: 01/18/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/18/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 28: Samsung SM-J727A

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-J727A

A3LSMJ727A

SM-J727AZ

A3LSMJ727A

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 03/17/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/17/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 29: Samsung SM-J727R4

#### Handset Maker

Samsung

#### Handset Model Name

SM-J727R4

#### FCC ID

A3LSMJ727R4

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 03/29/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/29/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 30: Samsung SM-J727T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J727T	A3LSMJ727T
SM-J727T1	A3LSMJ727T
SM-J727U	A3LSMJ727T
SM-S737TL	A3LSMJ727T

Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 03/23/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/23/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 31: Samsung SM-J727V

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J727V

A3LSMJ727V

SM-J727VPP

A3LSMJ727V

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 01/18/17



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/18/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 32: Samsung SM-J737A

#### Handset Maker

Samsung

#### Handset Model Name

SM-J737A

#### FCC ID

A3LSMJ737A

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 06/18 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 04/24/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/24/18

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 33: Samsung SM-J737P

#### Handset Maker

Samsung

#### Handset Model Name

SM-J737P

#### FCC ID

A3LSMJ737P

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 06/18 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 05/07/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/07/18

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 34: Samsung SM-J737R4

#### Handset Maker

Samsung

#### Handset Model Name

SM-J737R4

#### FCC ID

A3LSMJ737R4

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz GSM  
800 MHz CDMA  
800 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 06/18 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 05/22/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/22/18

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 35: Samsung SM-J737T

#### Handset Maker

Samsung

#### Handset Model Name

SM-J737T

#### FCC ID

A3LSMJ737T

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz GSM  
800 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 06/18 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 05/10/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/10/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 36: Samsung SM-J737V

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J737V

A3LSMJ737V

SM-J737VPP

A3LSMJ737V

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 06/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 05/07/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/07/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 37: Samsung SM-N920P

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N920P

A3LSMN920P

Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2300 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 07/21/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/21/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 38: Samsung SM-N950U

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SM-N950U

A3LSMN950U

SM-N950U1

A3LSMN950U

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz CDMA  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi  
2300 MHz LTE  
2600 MHz LTE

#### Dates

This handset model was offered from: 09/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 07/28/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/28/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 39: Samsung SM-S327VL

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-S327VL

A3LSMS327VL

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz LTE

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 01/10/17



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/10/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 40: Samsung SM-S727VL

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-S727VL

A3LSMS727VL

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz LTE

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 01/19/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/19/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 41: Samsung SM-S907VL

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-S907VL

A3LSMG920V

Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 11/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/09/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/09/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Certification

This Report has been certified by:

Kendra M Green Regulatory Compliance Mgr  
07/16/2018 03:04 PM